

Subject: Re: FOIA Request

From: Peter Pillsbury <ppillsbury@DOHfireCA.gov>

Date: 5/11/26, 3:19 PM

To: "Giltzow, Jessica L." <jgiltzow@fgppr.com>, "general@DOHfireCA.gov" <general@DOHfireCA.gov>

CC: "Errera, Michael" <merrera@fgppr.com>, "Mike Butler, Chief" <mbutler@DOHfireca.gov>

Good afternoon,

We are working on determining what material we may have that is related to your request.

My understanding is that this incident was primarily managed by CalFire after initial response by DOHFD, so they would be in possession of relevant records.

Meanwhile, please complete and return the attached request form.

Thank you,

Peter Pillsbury
Director / Clerk of the Board
Dobbins-Oregon House Fire Protection District
PO Box 164
Oregon House, CA 95962
831-334-8304
ppillsbury@DOHfireCA.gov

On 5/7/26 7:13 AM, Giltzow, Jessica L. wrote:

Good morning,

We would like to request copies of any and all documentation in your possession regarding the pipe dial incident that occurred on February 13, 2026 at the PG&E Colgate Substation located at the end of Lake Francis Ext Rd just outside of Dobbins CA including reports, interviews, photos, and videos.

Please let me know if there are any costs associated with this.

Thank you



Jessica L. Giltzow

Paralegal

222 N. LaSalle Street, Suite 1400

Chicago, Illinois 60601

Office: [312.863.5024](tel:312.863.5024)

Email: jgiltzow@fgppr.com

Chicago | Irvine | San Francisco | New York | London
Denver | Nashville | Sacramento | San Jose | Tampa

CONFIDENTIALITY WARNING: This email may contain privileged or confidential information and is for the sole use of the intended recipient(s). Any unauthorized use or disclosure of this communication is prohibited. If you believe that you have received this email in error, please notify the sender immediately and delete it from your system.

This email has been scanned for email related threats and delivered safely by Mimecast.

For more information please visit <http://www.mimecast.com>

— Attachments: —

2024 Public Records Act Request Form.pdf

65.2 KB